Surgical technology
adapted to life.

Gimmi®

Urology
Gimmi® – Continuous Flow

EN

Cat160_Urology_EN · Rev. 01/21

Gimmi
Surgical technology
adapted to life
Carl-Zeiss-Str. 6
78532 Tuttlingen

Surgical technology adapted to life.

Gimmi® GmbH is an international company founded in 1932. In the medical technology worldwide well known for quality products in the field of endoscopy.

Table of Contents

Scopes 7

Cystoscopy-Urethroscopy 13

Stone Management 19

Instruments 25

Resectoscopy 31

Urethrotomy 45

Uretero-Renoscopy 51

Nephroscopy 57

Accessories 63

Cleaning and Care 67

Sterilization 71

Recommended Sets 77

Scopes

7

AlphaScope™ II
The High-End Scope with HD Resolution



Description

AlphaScope™ II line consists of high quality scopes which have been developed with modern technology and production methods.

The rod lens system and an improved glass fibre constellation insure a unique color contrast and brilliant detail reproduction, not only in the centre of the image, but also at the edges. The particularly true colour reproduction and a remarkable depth of focus guarantee a natural picture. Distal and proximal sapphire end glasses provide an extremely high level of scratch resistance.

AlphaScope™ II scopes ensure outstanding autoclavability due to laser-welded or soldered joints. A long life can be maintained when the French sterilization cycle. We grant a 2 year guarantee on our **AlphaScope™ II** scopes.

Features

- Unique brightness
- Brilliant detail reproduction
- Remarkable depth of focus
- High resolution and contrast reproduction
- Field of view from 70° to 80°
- Autoclavable
- 24 months warranty
- Sapphire end glasses

HM – High Magnification

HM offers the user a bigger image without loss of brightness.



Scope **without** High Magnification



Scope **with** High Magnification

Direction of view



Field of view



Cystoscopes-Urethroscopes
Ø 2.9 mm and Ø 4.0 mm

Autoclavable



AlphaScope™ II

HD optimized

Item No.	Diameter	Working length	Direction of view
E.8297.40 I	Ø 2.9 mm	300 mm	0° HM
E.8297.42 I	Ø 2.9 mm	300 mm	12° HM
E.8297.43 I	Ø 2.9 mm	300 mm	30° HM
E.8297.00 I	Ø 4.0 mm	300 mm	0° HM
E.8297.12 I	Ø 4.0 mm	300 mm	12° HM
E.8297.30 I	Ø 4.0 mm	300 mm	30° HM
E.8297.70 I	Ø 4.0 mm	300 mm	70° HM

Cystoscopy-Urethroscopy

13

Cystoscopy-Urethroscopy
Sheaths, Obturators and Bridges

Cystoscope-Urethroscope – sheath with obturator

Item No.	Size	Colour code	For scopes Ø 4.0 mm
T.9042.17	17 CH	Yellow	0°, 12°, 30°, 70°, 300 mm
T.9042.19	19 CH	Green	
T.9042.21	21 CH	Red	
T.9042.23	23 CH	Blue	
T.9042.25	25 CH	White	

Cystoscope-Urethroscope – obturator

Item No.	Size	Colour code
T.9042.50	17 CH	Yellow
T.9042.51	19 CH	Green
T.9042.52	21 CH	Red
T.9042.53	23 CH	Blue
T.9042.54	25 CH	White

Autoclavable

Telescope bridge

Item No.	Compatible with
T.9044.00	T.9042.17
	T.9042.19
	T.9042.21
	T.9042.23
	T.9042.25



Telescope bridge with 1 lockable instrument channel

Item No.	Instrument's size compatibility
T.9044.01	1 x 5 CH (with T.9042.17)
	1 x 6 CH (with T.9042.19)
	1 x 7 CH (with T.9042.21)
	1 x 10 CH (with T.9042.23)
	1 x 12 CH (with T.9042.25)



Telescope bridge with 2 lockable instrument channels

Item No.	Instrument's size compatibility
T.9044.02	1 x 5 CH (with T.9042.17)
	2 x 5 CH (with T.9042.19)
	2 x 6 CH (with T.9042.21)
	2 x 7 CH (with T.9042.23)
	2 x 8 CH (with T.9042.25)



Working Elements with Albarran Deflector
for Cystoscope-Urethroscope Sheaths

Autoclavable

Working element with Albarran Deflector with 1 lockable instrument channel

Item No.	Instrument's size compatibility	Colour code
T.9048.01	1 x 5 CH (for T.9042.19)	Green
	1 x 6 CH (for T.9042.21)	Red
	1 x 9 CH (for T.9042.23)	Blue

Working element with Albarran Deflector with 2 lockable instrument channels

Item No.	Instrument's size compatibility	Colour code
T.9048.02	2 x 4 CH (for T.9042.19)	Green
	2 x 5 CH (for T.9042.21)	Red
	2 x 6 CH (for T.9042.23)	Blue

Visual Obturator
for Cystoscopes-Urethroscopes

Autoclavable

Visual obturator

Item No.	Size	Colour code	Description
T.9049.21	21 CH	Red	Visual Obturator for Cystoscopes-Urethroscopes

Stone Management

19

Optical Instruments
Forceps and Scissors

Autoclavable

Optical instruments

Item No.	For Cystoscope-Urethroscope sheaths	For scopes Ø 4.0 mm	Description	
T.9055.00	21 CH, Red 23 CH, Blue	0°, 30°, 300 mm	Biopsy forceps, spoon-shaped, double action	
T.9055.01	21 CH, Red 23 CH, Blue	0°, 30°, 300 mm	Biopsy grasping forceps, double action	
T.9055.03	21 CH, Red 23 CH, Blue	0°, 30°, 300 mm	Hook scissors, double action	
T.9055.04	21 CH, Red 23 CH, Blue	0°, 30°, 300 mm	Biopsy grasping forceps, below, double action	

Optical instruments – adapter

Item No.	Description	
T.9055.06	Adapter for optical instruments, for use with resectoscope outer sheaths: T.9525.27 and T.9526.27 (see page 36 and 37)	

Optical Instruments
Stone Grasping Forceps

Autoclavable



Optical stone grasping forceps

Item No.	For Cystoscopes-Urethroscopes sheaths	Description
T.9055.05	25 CH, White	Optical stone grasping forceps

Optical stone grasping forceps – adapter

Item No.	Description
T.9055.08	Adapter for stone grasping forceps T.9055.05 for use with 26 CH resectoscope outer sheaths: T.9525.27 (see page 36)

Optical Instruments
Stone Punch

Autoclavable



Optical stone punch – working element

Item No.	For scopes Ø 4.0 mm	Description
T.9056.77	0°, 12°, 30°, 300 mm	Optical stone punch for scopes



Optical stone punch – outer sheath

Item No.	Size	Description
T.9056.78	25.5 CH	Sheath for use with stone punch: T.9056.77



Optical stone punch – inner sheath for examination

Item No.	Size	Description
T.9056.79	7 CH	Inner sheath with working channel for use with stone punch sheath: T.9056.78

Dormia
Stone Dislodger

Autoclavable



Dormia stone dislodger

Item No.	Size	Working length
T.9067.05	5 CH	600 mm
T.9067.07	7 CH	600 mm

Handle for dormia stone dislodger

Item No.	Description
T.9067.00	Handle for dormia stone dislodger: T.9067.05 and T.9067.07

Instruments

25

Flexible and Semi-Rigid Instruments
Scissors and Forceps

Autoclavable



Scissors

Flexible	Semi-rigid	Diameter	Working length	Description	
S.7049.16	S.7049.18	Ø 1.6 mm / 5 CH	400 mm	Scissors, single action	
S.7049.22	S.7049.24	Ø 2.3 mm / 7 CH	400 mm		
S.7052.22	S.7052.24	Ø 2.3 mm / 7 CH	400 mm	Scissors, double action	
S.7053.22	S.7053.24	Ø 2.3 mm / 7 CH	400 mm	Hook scissors, single action	

Biopsy forceps and grasping forceps

Flexible	Semi-rigid	Diameter	Working length	Description	
S.7045.16	S.7045.18	Ø 1.6 mm / 5 CH	400 mm	Biopsy forceps, oval spoon, double action	
S.7045.20	S.7045.22	Ø 2.3 mm / 7 CH	400 mm		
S.7046.16	S.7046.18	Ø 1.6 mm / 5 CH	400 mm	Biopsy forceps, oval spoon, serrated, double action	
S.7046.20	S.7046.22	Ø 2.3 mm / 7 CH	400 mm		
S.7048.16	S.7048.18	Ø 1.6 mm / 5 CH	400 mm	Grasping forceps, alligator jaw, double action	
S.7048.20	S.7048.22	Ø 2.3 mm / 7 CH	400 mm		

Flexible Instrument
Injection Needle

Autoclavable



Injection needle, flexible

Item No.	Size	Working length
T.9060.00	6 CH	500 mm

Flexible Electrodes
Monopolar

Autoclavable

max. 2.0 kVp

Flexible electrodes

Item No.	Size	Working length	Description	
T.9061.03	3 CH	470 mm	Coagulation electrode, ball shaped	
T.9061.05	5 CH			
T.9061.07	7 CH			
T.9062.05	5 CH	478 mm	Coagulation electrode, needle type	
T.9063.05	5 CH	475 mm	Loop electrode	

Monopolar connecting cables available on page 42.

Additional Instruments
for Urology

Autoclavable

Catheter introducer

Item No.	Working length	Description
M.1792.39	390 mm	Guyon Catheter introducer, straight
M.1793.35	350 mm	Guyon Catheter introducer, curved

Penile clamps

Item No.	Size	Description
M.1881.11	110 mm	Strauss penile clamp

Dittel bougies

Item No.	Size	Working length	Description
M.1581.08	8 CH	350 mm	Dittel bougies, curved
M.1581.09	9 CH		
M.1581.10	10 CH		
M.1581.11	11 CH		
M.1581.12	12 CH		
M.1581.14	14 CH		
M.1581.16	16 CH		
M.1581.18	18 CH		
M.1581.20	20 CH		
M.1581.22	22 CH		
M.1581.24	24 CH		
M.1581.26	26 CH		

Metal catheter

Item No.	Size	Working length	Description
M.1721.14	14 CH	150 mm	Metal catheter, female

Resectoscopy

31

Bipolar Resectoscopes
26/24 CH

Autoclavable



Bipolar resectoscope – assembled preview



Working element – passive cutting

Item No.	For scopes Ø 4.0 mm	Description
T.9630.60	30°, 300 mm	Bipolar working element, passiv cutting

Working element – active cutting

Item No.	For scopes Ø 4.0 mm	Description
T.9630.70	30°, 300 mm	Bipolar working element, active cutting

Resectoscope sheaths available on page 36.

Bipolar Electrodes
24 CH

Bipolar electrodes – reusable

Item No.	Size	Measurement	Description	
T.9548.00	24 CH	Wire thickness: 0.35 mm	Bipolar loop electrode 0° angled, for 30° scopes	
T.9548.60	24 CH	Wire thickness: 0.35 mm	Bipolar loop electrode 60° angled, for 30° scopes	
T.9548.90	24 CH	Wire thickness: 0.35 mm	Bipolar loop electrode 90° angled, for 30° scopes	
T.9548.03	24 CH	Diameter: Ø 2.33 mm	Bipolar ball electrode, for 30° scopes	
T.9548.06	24 CH	Roller width: Ø 3.0 mm	Bipolar roller electrode, for 30° scopes	
T.9548.13	24 CH	Knife width: 0.75 mm	Bipolar knife electrode, for 30° scopes	

Monopolar Resectoscopes
26/24 CH

Autoclavable

Monopolar resectoscope – assembled preview



Working element – passive cutting

Item No.	For scopes Ø 4.0 mm	Description
T.9630.20 II	0°, 30°, 300 mm	Working element, passive cutting by spring action



Working element – active cutting

Item No.	For scopes Ø 4.0 mm	Description
T.9630.30 II	0°, 30°, 300 mm	Working element, active cutting by spring action

Resectoscope sheaths available on page 36.

Monopolar Electrodes
24 CH

Monopolar electrodes – non-sterile, single use

Item No.	Size	Measurement	Description	
T.9549.10	24 CH	Diameter: Ø 3 mm	Vaporisation electrode, for 0° and 30° scopes	
T.9549.12	24 CH	Diameter: Ø 5 mm	Vaporisation electrode, for 0° and 30° scopes	
T.9549.14	24 CH	Knife width: 0.68 mm	Knife electrode, for 0° and 30° scopes	
T.9549.16	24 CH	Wire thickness: 0.35 mm	Loop electrode, straight, for 0° and 30° scopes	
T.9549.18	24 CH	Wire thickness: 0.35 mm	Loop electrode, angled, for 30° scopes	
T.9549.24	24 CH	Wire thickness: 0.35 mm	Loop electrode, angled, for 0° scopes	
T.9549.26	24 CH	Diameter: Ø 3 mm	Ballpoint electrode, for 0° and 30° scopes	
T.9549.28	24 CH	Diameter: Ø 5 mm	Ballpoint electrode, for 0° and 30° scopes	
T.9549.06	24 CH	Diameter: Ø 3 mm	Roller electrode, smooth, for 0° and 30° scopes	
T.9549.08	24 CH	Diameter: Ø 5 mm	Roller electrode, smooth, for 0° and 30° scopes	
T.9549.20	24 CH	Diameter: Ø 2.5 mm	Conical electrode, for 0° and 30° scopes	

Resectoscope Sheath
for Continuous Irrigation 26/24 CH

Autoclavable

Resectoscope sheath complete, non-rotatable

Item No.	Size	Description
T.9525.00	26/24 CH	Resectoscope sheath for continuous irrigation complete, non-rotatable, with standard obturator, distal end perforated (big holes).
Consisting of:		
T.9525.27	26 CH	Outer sheath, distal end perforated (big holes)
T.9525.24	24 CH	Inner sheath with ceramic-insulation
T.9524.00	24 CH	Standard obturator for inner sheath

Rotatable Resectoscope Sheath
for Continuous Irrigation 26/24 CH

Autoclavable

Resectoscope sheath complete, rotatable

Item No.	Size	Description
T.9526.00	26/24 CH	Resectoscope sheath for continuous irrigation complete, rotatable, with standard obturator, distal end perforated (big holes).
Consisting of:		
T.9526.27	26 CH	Outer sheath, distal end perforated (big holes)
T.9526.24	24 CH	Inner sheath with ceramic-insulation
T.9524.00	24 CH	Standard obturator for inner sheath



Resectoscope Sheath
Single Flow 24 CH

Autoclavable

Resectoscope sheath

Item No.	Size	Description
T.9523.24	24 CH	Resectoscope sheath with 1 rigid stopcock, oblique tip and standard obturator.

Resectoscope Sheath Obturators
24 CH

Autoclavable

Standard obturator

Item No.	Size	Description
T.9524.00	24 CH	Standard obturator for resectoscope sheaths: T.9523.24, T.9525.00, T.9526.00

Visual obturator

Item No.	Size	Description
T.9524.06	24 CH	Visual obturator for resectoscope sheaths: T.9523.24, T.9525.00, T.9526.00

Monopolar Slender Resectoscope
22/19 CH

Autoclavable

Monopolar resectoscope – assembled preview



Working element – passive cutting

Item No.	For scopes Ø 2.9 mm	Description
T.9630.18	0°, 30°, 300 mm	Working element passive cutting by spring action

Resectoscope sheath complete – rotatable

Item No.	Size	Description
T.9527.00	22/19 CH	Resectoscope sheath for continuous irrigation 22 CH, rotatable, complete
Consisting of:		
T.9525.22	22 CH	Outer sheath only
T.9525.19	19 CH	Inner sheath with ceramic-insulation only
T.9524.02	19 CH	Standard obturator for inner sheath

Monopolar Slender Electrodes
19 CH

Monopolar electrodes – non-sterile, single use

Item No.	Size	Measurement	Description	
T.9549.31	19 CH	Wire thickness: 0.35 mm	Loop electrode, angled, for 30° scopes	
T.9549.33	19 CH	Knife width: 0.68 mm	Knife electrode, for 0° and 30° scopes	
T.9549.35	19 CH	Diameter: Ø 3 mm	Ballpoint electrode, for 0° and 30° scopes	

Monopolar and Bipolar Cables
for Resectoscopes and for Flexible Electrodes

Monopolar connecting cables

Item No.	Length	Unit side		Instrument side
T.9542.00	5 m	Gimmi® Martin		
T.9065.02	5 m	Erbe ACC/ICC Erbe VIO		
T.9065.04	5 m	Gimmi® Martin		
T.9065.03	5 m	Valleylab Conmed Bovie		

Bipolar connecting cables

Item No.	Length	Unit side		Instrument side
T.5770.12	3 m	Valleylab		
T.5770.14	5 m			
T.5770.08	3 m	Martin Berchtold		
T.5770.10	5 m			
T.5770.18	4 m	Erbe MF		
T.5770.16	4 m	Uniflex, 22 to 38 mm		

Urethrotomy

45

Urethrotomy
Working Element and Cold Knives

Autoclavable

Urethrotomy – working element

Item No.	For scopes Ø 4.0 mm	Description
T.9630.20 II	0°, 12°, 30°, 70°, 300 mm	Working element, passive cutting by spring action

Do not use with HF-energy!

Cold Knives

Item No.	Length	Description
T.9635.08	281 mm	Cold knife, straight
T.9635.09	281 mm	Cold knife, half round
T.9635.12	281 mm	Cold knife, straight, with wave cut

Urethrotomy
Sheath, Obturator and Guide Tube

Autoclavable

Urethrotomy – sheath

Item No.	Size	Description
T.9635.00	21 CH	Urethrotome sheath, with 5 CH channel for filiformbougies or catheters

Urethrotomy – obturator

Item No.	Description
T.9635.01	Obturator for use with Urethrotome sheath: T.9635.00

Urethrotomy – guide tube

Item No.	Description
T.9635.02	Guide tube for insertion of a balloon catheter for use with Urethrotome sheath: T.9635.00

Urethrotomy
Telescope Bridge and Additional Sheath

Autoclavable



Telescope bridge with 1 lockable instrument channel

Item No.	Description
T.9635.05	Telescope bridge for diagnostic, for use with Urethrotome sheath: T.9635.00

Urethrotomy – additional sheath

Item No.	Description
T.9635.03	Additional sheath for continuous irrigation, for use with Urethrotome sheath: T.9635.00

Uretero-Renoscopy

51

Uretero-Renoscopes
Semi-Rigid



Description

Our new HD Uretero-Renoscope is specially designed for the needs in the daily practice for Urology and has full capabilities with HD technology.

Up to 40.000* pixel image bundle in combination with our CAD designed composed lense provide a brilliant picture quality in high resolution and detailed contrast with optimal colour sync which you would expect from a High Definition scope.

Ergonomically small mechanics with slim angled side ocular in combination with the integrated Luer-Lock adapters allows you an easy, variable adaptation of standard stopcocks, valves and other standard attachments.

The polygon formed outer tube is made out of an advanced material with more elasticity and stability, which allows an atraumatic procedure with more flexibility.

The integrated working channel offers an easy insertion from up to two rigid and semi rigid instruments through the fixed Luer-Lock adapters and high-flow irrigation.

The device is autoclavable.

*This resolution only applies to T.9700.05 III and T.9701.05 III. T.9700.10 III, T.9701.10 III, T.9700.20 III have a resolution of 17.000 Pixel.

Uretero-Renoscopes

425 mm Working length Item No.	310 mm Working length Item No.	Outer diameter	Working channel	Description
T.9700.05 III	T.9701.05 III	Ø 7.5 / 9 / 12 CH	1 x 5 CH or 2 x 3 CH	Uretero-Renoscope, standard
T.9700.10 III	T.9701.10 III	Ø 6 / 7.5 / 9 CH	1 x 4 CH or 2 x 2.4 CH	Uretero-Renoscope, thin
T.9700.20 III	–	Ø 4.9 / 6.5 / 8.1 CH	1 x 3 CH	Uretero-Renoscope, ultra thin

Uretero-Renoscopes – accessories

Item No.	Description	
T.9745.90	Closure cap, 1 pair	
T.9745.91	Sealing cap, 1 pck. of 10 pcs.	
T.9745.92	Valve sealing, 1 pck. of 10 pairs	
T.9745.94	Stop cock for URS, 1 pair	
T.9745.95	Luer-Lock-valves, 1 pck. of 2 valves	
T.9745.98	Cleaning brush set for working channel, Ø 3 mm, trim length 30 mm, total length 590 mm, 1 pck. of 3 pcs.	
T.9745.99	Cleaning brush set for irrigation channel, Ø 3 mm, trim length 10 mm, total length 590 mm, 1 pck. of 3 pcs.	

Uretero-Renoscopy Instruments
Flexible and Semi-Rigid



Flexible forceps and scissors

Item No.	Diameter	Working length	Description	
S.7013.03	Ø 1.0 mm / 3 CH	600 mm	Biopsy forceps, oval spoon, double action	
S.7013.05	Ø 1.6 mm / 5 CH			
S.7021.03	Ø 1.0 mm / 3 CH	600 mm	Grasping forceps, double action	
S.7021.05	Ø 1.6 mm / 5 CH			
S.7051.05	Ø 1.6 mm / 5 CH	600 mm	Scissors, single action	
S.7022.05	Ø 1.6 mm / 5 CH	600 mm	Grasping forceps, long, double action	

Autoclavable



Semi-rigid forceps and scissors

Item No.	Diameter	Working length	Description	
S.7013.17	Ø 1.0 mm / 3 CH	600 mm	Biopsy forceps, oval spoon, double action	
S.7013.07	Ø 1.6 mm / 5 CH			
S.7021.17	Ø 1.0 mm / 3 CH	600 mm	Grasping forceps, double action	
S.7021.07	Ø 1.6 mm / 5 CH			
S.7051.07	Ø 1.6 mm / 5 CH	600 mm	Scissors, single action	
S.7022.07	Ø 1.6 mm / 5 CH	600 mm	Grasping forceps, long, double action	

Nephroscopy

57

Nephroscope Set
Endoscope, Sheath and Obturator

Autoclavable



Nephroscope – set

Item No.	Size	Working length	Description
E.9603.15 SET	26 CH	250 mm	Nephroscope set, with 2 Luer-Lock connections, endoscope, sheath and obturator
Consisting of:			
E.9603.15	19 CH	250 mm	Endoscope
T.9600.33	26 CH	250 mm	Sheath with obturator

Telescope Dilators
Rigid and Flexible Guide Probes

Autoclavable

Dilators



Rigid guide probes



Flexible guide probes

Telescope dilator set

Item No.	Size	Working length	Description
T.9600.40	See blow	See below	Telescope dilator set with 6 Dilators (9, 12, 15, 18, 21, 24 CH), 1 rigid guide probe and 1 flexible guide probe
Consisting of:			
T.9600.45	9 CH	199 mm	Dilator
T.9600.47	12 CH	202 mm	Dilator
T.9600.49	15 CH	205 mm	Dilator
T.9600.50	18 CH	209 mm	Dilator
T.9600.51	21 CH	214 mm	Dilator
T.9600.52	24 CH	219 mm	Dilator
T.9600.42	6 CH	578 mm	Rigid guide probe
T.9600.44	6 CH	577 mm	Flexible guide probe

Additional telescope dilators

Item No.	Size	Working length	Description
T.9600.46	27 CH	224 mm	Dilator
T.9600.48	30 CH	230 mm	Dilator

Nephroscopy Instruments
Forceps and Scissors

Autoclavable



Forceps and scissors

Item No.	Diameter	Working length	Description	
S.7050.58	Ø 3.4 mm / 10 CH	280 mm	Biopsy forceps, oval spoon, single action	
S.7050.60	Ø 3.4 mm / 10 CH	360 mm		
S.7050.61	Ø 3.4 mm / 10 CH	410 mm		
S.7050.70	Ø 3.4 mm / 10 CH	280 mm	Grasping forceps, fenestrated, for stone fragments, double action	
S.7050.62	Ø 3.4 mm / 10 CH	360 mm		
S.7050.63	Ø 3.4 mm / 10 CH	410 mm		
S.7050.64	Ø 3.4 mm / 10 CH	360 mm	Grasping forceps for stone fragments, double action	
S.7050.65	Ø 3.4 mm / 10 CH	410 mm		
S.7050.67	Ø 3.4 mm / 10 CH	280 mm	Micro scissors, straight, single action	
S.7050.68	Ø 3.4 mm / 10 CH	360 mm		
S.7050.69	Ø 3.4 mm / 10 CH	410 mm		

Accessories

63

Urology
Accessories

Ellik evacuator and accessories

Item No.	Description
T.9537.11	Ellik evacuator complete, with locking adapter, rubber ball and glass barrel
Consisting of:	
T.9537.12	Evacuator Ellik locking adapter with tube
T.9537.13	Rubber ball
T.9537.14	Glass barrel

Ultra-Janet bladder syringe

Item No.	Description
T.9537.07	Bladder syringe*, 100 ml, incl. catheter attachments: 1x cone shape, 1x olive shape,
T.9537.08	Bladder syringe*, 150 ml, incl. catheter attachments: 1x cone shape, 1x olive shape



Additional parts	
T.9537.24	Locking adapter for Ultra-Janet bladder syringe

Consisting of:	
T.9537.22	Cone locking adapter for bladder syringe Ultra-Janet
T.9537.23	Basic front part Ultra-Janet for locking adapter

* Original product distributed by Gimmi®

Autoclavable

Luer-Locks and adapter

Item No.	Description	
T.9537.15	Luer-Lock tube connector	
T.9537.18	Luer-Lock tube connector with stopcock	
T.9537.20	Catheter adapter	

Spare rubber

Item No.	Description	
T.9602.99	Spare rubber for instrument port, 1 pck. of 10 pcs.	

Cleaning and Care

67

Cleaning and Care
Accessories

Cleaning pistol with adapters

Item No.	Description
T.1003.00	Cleaning pistol*, complete with 8 adapters (attachable to standard water tap or compressed-air system)
T.1003.04	Cleaning pistol incl. tube*
T.1003.05	Spare parts (dosage system)*
T.1003.06	A adapter*
T.1003.07	B adapter*
T.1003.08	C adapter*
T.1003.09	D adapter*
T.1003.10	E adapter*
T.1003.11	F adapter*
T.1003.12	G adapter*
T.1003.13	H adapter*



Tube adapter

Item No.	Description
T.1003.23	Tube adapter* for ½" hose, stainless

Cleaning brushes

Item No.	Diameter	Total length	Trim length	Description	
T.1003.49	Ø 3 mm	490 mm	100 mm	Cleaning brush, 1 pck. of 10 pcs.	
T.1003.50	Ø 5 mm				
T.1003.53	Ø 7 mm				
T.1003.51	Ø 10 mm				
T.9745.98	Ø 3 mm	590 mm	30 mm	Cleaning brush set for working channel, 1 pck. of 3 pcs.	
T.9745.99	Ø 3 mm	590 mm	10 mm	Cleaning brush set for irrigation channel, 1 pck. of 3 pcs.	

* Original product distributed by Gimmi®

Instrument care oil

Item No.	Description
J.8860.08	Instrument care oil*, 100 ml, box of 12 pcs.

Instrument special oil spray

Item No.	Description
J.8860.06	Special oil spray for instrument care*, 500 ml

Please note: special demands for air freight shipping.

* Original product distributed by Gimmi®

Sterilization

71

Sterilization Trays
and Wire Baskets

Autoclavable

Universal sterilization tray

Item No.	Size	Description
T.1002.10	502 x 239 x 102 mm	Universal sterilization tray* with 2 silicone mats

Sterilization wire basket for scopes

Item No.	Size	Description
T.1002.99	460 x 80 x 55 mm	Sterilization wire basket suitable for 1 Endoscope Ø 2–10 mm
T.1002.96	460 x 80 x 55 mm	Sterilization wire basket suitable for 2 Endoscopes Ø 2–10 mm
T.1002.97	290 x 80 x 52 mm	Sterilization wire basket suitable for 1 Arthro / ENT Endoscope Ø 2–5 mm
T.1002.95	640 x 150 x 80 mm	Sterilization wire basket suitable for 1 Endoscope Ø 2–10 mm, cold light cable, small-parts box, etc., recommended for URS





* Original product distributed by Gimmi®

Sterilization Trays
for Cystoscopy-Urethroscopy & Resectoscopy



Cystoscopy-Urethroscopy tray

Item No.	Dimensions	Description
T.1002.70 II	545 x 255 x 70 mm	Cystoscopy-Urethroscopy tray with lid (without instrumentation)



Resectoscopy tray

Item No.	Dimensions	Description
T.1002.71 II	545 x 255 x 70 mm	Resectoscopy tray with lid (without instrumentation)

Sterilization Boxes
and Accessories

Autoclavable

Sterisafe® DURO A4

Item No.	Description
T.1004.40	Sterisafe® DURO A4* complete
Consisting of:	
T.1004.10	Sterisafe® DURO* 290 x 190 x 60 mm
T.1001.20	Silicone cushion mat*
T.1001.30	Silicone grid tray*



Sterisafe® DURO A8

Item No.	Description
T.1004.70	Sterisafe® DURO A8* complete
Consisting of:	
T.1004.72	Sterisafe® DURO* 90 x 90 x 55 mm
T.1001.74	Silicone cushion mat*

Sterisafe® DURO E42

Item No.	Description
T.1004.80	Sterisafe® DURO E42* complete
Consisting of:	
T.1004.82	Sterisafe® DURO* 440 x 110 x 70 mm
T.1001.86	Silicone insert* (7 parts)

Sterisafe® DURO – accessories

Item No.	Description
T.1001.31	Date insert* for Sterisafe® DURO
T.1001.32	Seal label* with indicator for Sterisafe® DURO
T.1001.33	Safety seal* for Sterisafe® DURO, 100 pcs.
T.1001.35	Locking handle* for Sterisafe® DURO A4, A8, E42
T.1001.34	Filter cover* for Sterisafe® DURO A4, E42
T.1001.48	Filter* for Sterisafe® DURO A4, 1 pck. of 2 pcs.
T.1001.78	Filter* for Sterisafe® DURO A8, 1 pck. of 2 pcs.
T.1001.88	Filter* for Sterisafe® DURO E42, 1 pck. of 2 pcs.

* Original product distributed by Gimmi®



Recommended Sets

77

Recommended Sets
by Gimmi®

Monopolar Resectoscopy Set

Item No.	Quantity	Description
E.8297.30 I	1	Cystoscope/Hysteroscope 4 mm/30° HM
T.9630.30 II	1	Working element, active cutting
T.9526.00	1	Resectoscope sheath for continuous irrigation
T.9542.00	1	Monopolar connecting cable 5 m, 4 mm
T.9549.18	2	Loop electrode, angled
T.9549.26	2	Ballpoint electrode
T.9549.14	2	Knife electrode
T.9549.10	2	Vaporisation electrode
T.9537.11	1	Ellik evacuator complete
T.1002.64	1	Tray for set

Bipolar Resectoscopy Set

Item No.	Quantity	Description
E.8297.30 I	1	Cystoscope/Hysteroscope 4 mm/30° HM
T.9630.70	1	Working element, active cutting
T.9526.00	1	Resectoscope sheath for continuous irrigation
T.5770.12	1	Bipolar connecting cable 3 m, 4 mm
T.9548.90	2	Bipolar loop electrode 90°, angled
T.9548.60	2	Bipolar loop electrode 60°, angled
T.9548.00	2	Bipolar loop electrode 0°, angled
T.9548.13	2	Bipolar knife electrode
T.9548.03	2	Bipolar ball electrode
T.9548.06	2	Bipolar roller electrode
T.9537.11	1	Ellik evacuator complete
T.1002.64	1	Tray for set

Uretero-Renoscopy Set

Item No.	Quantity	Description
T.9700.05 III	1	Uretero-Renoscope
S.7013.05	1	Biopsy forceps, oval spoon
S.7021.05	1	Grasping forceps, flexible
S.7051.05	1	Scissors, flexible 5 CH
S.7022.05	1	Grasping forceps, flexible, long
T.1002.95	1	Wire basket

Cystoscopy Set

Item No.	Quantity	Description
E.8297.30 I	1	Cystoscope/Hysteroscope 4 mm/30° HM
T.9042.19	1	Cystoscopes-Urethroscope sheath
T.9044.02	1	Telescope bridge with 2 lockable instrument channels
T.9048.02	1	Working element with Albarran-Deflector
S.7045.16	1	Biopsy forceps, oval spoon
S.7048.16	1	Grasping forceps, alligator jaw
T.1002.70 II	1	Tray for set
E.8297.70 I	1	**Optional:** Cystoscope/Hysteroscope 4 mm/70° HM

Urethrotomy Set

Item No.	Quantity	Description
E.8297.00 I	1	Cystoscope/Hysteroscope 4 mm/0° HM
T.9630.20 II	1	Working element, passive cutting
T.9635.00	1	Urethrotome sheath, 21 CH, 5 CH channel
T.9635.01	1	Obturator for Urethrotome sheath
T.9635.03	1	Additional sheath for continuous irrigation
T.9635.05	1	Telescope bridge for diagnostic
T.9635.08	1	Cold knife, straight
T.9635.09	1	Cold knife, half round
T.9635.12	1	Cold knife, straight with wave cut
T.9542.00	1	Monopolar connecting cable 5 m, 4 mm
T.1002.70 II	1	Tray for set
T.9635.02	1	**Optional:** Guide tube

Percutaneous Nephroscopy Set

Item No.	Quantity	Description
E.9603.15 SET	1	Nephroscope set, with working element, sheath and obturator
T.9600.40	1	Telescope dilator set with 6 Dilators (9, 12, 15, 18, 21, 24 CH), 1 rigid guide probe and 1 flexible guide probe
S.7050.60	1	Biopsy forceps, oval spoon
S.7050.62	1	Grasping forceps for stone fragments
S.7050.64	1	Grasping forceps for stone fragments
S.7050.68	1	Micro scissors, straight
T.1002.63 II	1	Tray for set

Index

E

E.8297.00 I 10, 79
E.8297.12 I 10
E.8297.30 I 10, 78, 79
E.8297.40 I 10
E.8297.42 I 10
E.8297.43 I 10
E.8297.70 I 10, 79
E.8997.00 8
E.8998.01 8
E.9603.15 58
E.9603.15 SET 58, 79

J

J.8860.06 69
J.8860.08 69

M

M.1581.08 29
M.1581.09 29
M.1581.10 29
M.1581.11 29
M.1581.12 29
M.1581.14 29
M.1581.16 29
M.1581.18 29
M.1581.20 29
M.1581.22 29
M.1581.24 29
M.1581.26 29
M.1721.14 29
M.1792.39 29
M.1793.35 29
M.1881.11 29

S

S.7013.03 54
S.7013.05 ..... 54, 78
S.7013.07 55
S.7013.17 55
S.7021.03 54
S.7021.05 ..... 54, 78
S.7021.07 55
S.7021.17 55
S.7022.05 ..... 54, 78
S.7022.07 55
S.7045.16 ..... 26, 79
S.7045.18 26
S.7045.20 26
S.7045.22 26
S.7046.16 26
S.7046.18 26
S.7046.20 26
S.7046.22 26
S.7048.16 ..... 26, 79
S.7048.18 26
S.7048.20 26
S.7048.22 26
S.7049.16 26
S.7049.18 26
S.7049.22 26
S.7049.24 26
S.7050.58 60
S.7050.60 ..... 60, 79
S.7050.61 60
S.7050.62 ..... 60, 79
S.7050.63 60
S.7050.64 ..... 60, 79
S.7050.65 60
S.7050.67 60
S.7050.68 ..... 60, 79
S.7050.69 60
S.7050.70 60
S.7051.05 ..... 54, 78
S.7051.07 55
S.7052.22 26
S.7052.24 26
S.7053.22 26
S.7053.24 26

T

T.1001.20 74
T.1001.30 74
T.1001.31 74
T.1001.32 74
T.1001.33 74
T.1001.34 74
T.1001.35 74
T.1001.48 74
T.1001.74 74
T.1001.78 74
T.1001.86 74
T.1001.88 74
T.1002.10 72
T.1002.63 II 79
T.1002.64 78
T.1002.70 II 73, 79
T.1002.71 II 73
T.1002.95 ..... 72, 78
T.1002.96 72
T.1002.97 72
T.1002.99 72
T.1003.00 68
T.1003.04 68
T.1003.05 68
T.1003.06 68
T.1003.07 68
T.1003.08 68
T.1003.09 68
T.1003.10 68
T.1003.11 68
T.1003.12 68
T.1003.13 68
T.1003.23 68
T.1003.49 68
T.1003.50 68
T.1003.51 68
T.1003.53 68
T.1004.10 74
T.1004.40 74
T.1004.70 74
T.1004.72 74
T.1004.80 74
T.1004.82 74
T.5770.08 42
T.5770.10 42

T.5770.12 ..... .42, 78
T.5770.14 ..... .42
T.5770.16 ..... .42
T.5770.18 ..... .42
T.9042.17 ..... .14
T.9042.19 ..... .14, 79
T.9042.21 ..... .14
T.9042.23 ..... .14
T.9042.25 ..... .14
T.9042.50 ..... .14
T.9042.51 ..... .14
T.9042.52 ..... .14
T.9042.53 ..... .14
T.9042.54 ..... .14
T.9044.00 ..... .15
T.9044.01 ..... .15
T.9044.02 ..... .15, 79
T.9048.01 ..... .16
T.9048.02 ..... .16, 79
T.9049.21 ..... .17
T.9055.00 ..... .20
T.9055.01 ..... .20
T.9055.03 ..... .20
T.9055.04 ..... .20
T.9055.05 ..... .21
T.9055.06 ..... .20
T.9055.08 ..... .21
T.9056.77 ..... .22
T.9056.78 ..... .22
T.9056.79 ..... .22
T.9060.00 ..... .27
T.9061.03 ..... .28
T.9061.05 ..... .28
T.9061.07 ..... .28
T.9062.05 ..... .28
T.9063.05 ..... .28
T.9065.02 ..... .42
T.9065.03 ..... .42
T.9065.04 ..... .42
T.9067.00 ..... .23
T.9067.05 ..... .23
T.9067.07 ..... .23
T.9523.24 ..... .38
T.9524.00 ..... .36, 37, 39
T.9524.02 ..... .40
T.9524.06 ..... .39
T.9525.00 ..... .36
T.9525.19 ..... .40
T.9525.22 ..... .40
T.9525.24 ..... .36
T.9525.27 ..... .36
T.9526.00 ..... .37, 78
T.9526.24 ..... .37
T.9526.27 ..... .37
T.9527.00 ..... .40
T.9537.07 ..... .64
T.9537.08 ..... .64
T.9537.11 ..... .64, 78
T.9537.12 ..... .64
T.9537.13 ..... .64
T.9537.14 ..... .64
T.9537.15 ..... .65
T.9537.18 ..... .65
T.9537.20 ..... .65
T.9537.22 ..... .64
T.9537.23 ..... .64
T.9537.24 ..... .64
T.9542.00 ..... .42, 78, 79
T.9548.00 ..... .33, 78
T.9548.03 ..... .33, 78
T.9548.06 ..... .33, 78
T.9548.13 ..... .33, 78
T.9548.60 ..... .33, 78
T.9548.90 ..... .33, 78
T.9549.06 ..... .35
T.9549.08 ..... .35
T.9549.10 ..... .35, 78
T.9549.12 ..... .35
T.9549.14 ..... .35, 78
T.9549.16 ..... .35
T.9549.18 ..... .35, 78
T.9549.20 ..... .35
T.9549.24 ..... .35
T.9549.26 ..... .35, 78
T.9549.28 ..... .35
T.9549.31 ..... .41
T.9549.33 ..... .41
T.9549.35 ..... .41
T.9600.33 ..... .58
T.9600.40 ..... .59, 79
T.9600.42 ..... .59
T.9600.44 ..... .59
T.9600.45 ..... .59
T.9600.46 ..... .59
T.9600.47 ..... .59
T.9600.48 ..... .59
T.9600.49 ..... .59
T.9600.50 ..... .59
T.9600.51 ..... .59
T.9600.52 ..... .59
T.9602.99 ..... .65
T.9630.18 ..... .40
T.9630.20 II ..... .34, 46, 79
T.9630.30 II ..... .34, 78
T.9630.60 ..... .32
T.9630.70 ..... .32, 78
T.9635.00 ..... .47, 79
T.9635.01 ..... .47, 79
T.9635.02 ..... .47, 79
T.9635.03 ..... .48, 79
T.9635.05 ..... .48, 79
T.9635.08 ..... .46, 79
T.9635.09 ..... .46, 79
T.9635.12 ..... .46, 79
T.9700.05 III ..... .53, 78
T.9700.10 III ..... .53
T.9700.20 III ..... .53
T.9701.05 III ..... .53
T.9701.10 III ..... .53
T.9745.90 ..... .53
T.9745.91 ..... .53
T.9745.92 ..... .53
T.9745.94 ..... .53
T.9745.95 ..... .53
T.9745.98 ..... .53, 68
T.9745.99 ..... .53, 68

We reserve the right of changes of the brochure/catalogue images by modifications of the product design and further developments without prior notice.

This brochure/catalogue is intended for preparation of offers or purchase and sale of our products only. Any reproduction of its contents, as a whole or in part, is not permitted. In case of misuse we may reclaim the brochure/catalogue and price lists and reserve the right to take legal actions.

Gimmi® GmbH
Carl-Zeiss-Strasse 6
78532 Tuttlingen
Germany

Phone +49 7461 965900
Fax +49 7461 9659033
Mail contact@gimmi.de
www.gimmi.de

Grupo Vitalmex
Blvd. Adolfo Ruíz Cortines 4284,
Colonia Jardines del Pedregal
Coyoacán, 04500, México, D.F.

Phone +52 5588 501100
www.vitalmex.com.mx

You can find us on:

© Copyright Gimmi® GmbH · Tuttlingen · Germany
All rights reserved · Technical changes and errors reserved

By Vitalmex